

# SAFETY DATA SHEET

SDS Prep. Date 06/28/2023

## 1. PRODUCT AND COMPANY IDENTIFICATION

### 1.1 Product identifiers

Product name : 1,2-Dichloroethane  
Product Number : 10830  
Index-No. : 602-012-00-7  
CAS-No. : 107-06-2

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3 Details of the supplier of the product on the safety data sheet

Company : Ladd Research  
3 Ewing Place  
Essex Junction, VT 05452 USA  
Telephone : 802-658-4961  
Fax : 802-660-8859

### 1.4 Emergency telephone number

Emergency Phone # : (800) 424-9300 (Chemtrec)

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225  
Acute toxicity, Oral (Category 4), H302  
Acute toxicity, Inhalation (Category 3), H331  
Skin irritation (Category 2), H315  
Eye irritation (Category 2A), H319  
Carcinogenicity (Category 1B), H350  
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H350	May cause cancer.

Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P281	Use personal protective equipment as required.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P311	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Synonyms	: Ethylene dichloride Ethylene chloride
Formula	: C <sub>2</sub> H <sub>4</sub> Cl <sub>2</sub>
Molecular weight	: 98.96 g/mol
CAS-No.	: 107-06-2
EC-No.	: 203-458-1
Index-No.	: 602-012-00-7
Registration number	: 01-2119484658-20-XXXX

#### Hazardous components

Component	Classification	Concentration
<b>Ethylene dichloride</b> Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)		
	Flam. Liq. 2; Acute Tox. 4; Acute Tox. 3; Skin Irrit. 2; Eye Irrit. 2A; Carc. 1B; STOT SE 3; H225, H302, H315, H319, H331, H335, H350	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Hydrogen chloride gas

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

---

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

---

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

### Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Ethylene dichloride	107-06-2	TWA	10.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Liver damage Nausea Not classifiable as a human carcinogen		
		TWA	1.000000 ppm 4.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
		Potential Occupational Carcinogen See Appendix C See Appendix A		
		ST	2.000000 ppm 8.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
		Potential Occupational Carcinogen See Appendix C See Appendix A		
		See Table Z-2		
		TWA	50.000000 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2
		Z37.21-1969		
		CEIL	100.000000 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2
		Z37.21-1969		
		Peak	200.000000 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2
		Z37.21-1969		

## 8.2 Exposure controls

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

---

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

### **9.1 Information on basic physical and chemical properties**

- |   |  |
|---|--|
| a) Appearance                                   | Form: clear, liquid<br>Colour: colourless  |
| b) Odour  | No data available  |
| c) Odour Threshold                              | No data available  |
| d) pH   | No data available  |
| e) Melting point/freezing point                 | Melting point/range: -35 °C (-31 °F) - lit.  |
| f) Initial boiling point and boiling range      | 83 °C (181 °F) - lit.  |
| g) Flash point                                  | 13.0 °C (55.4 °F) - closed cup - Tested according to Annex V of Directive 67/548/EEC.  |
| h) Evaporation rate                             | No data available  |
| i) Flammability (solid, gas)                    | No data available  |
| j) Upper/lower flammability or explosive limits | Upper explosion limit: 16.2 %(V)<br>Lower explosion limit: 6.2 %(V)  |
| k) Vapour pressure                              | 33.3 hPa (25.0 mmHg) at 0 °C (32 °F)<br>86 hPa (65 mmHg) at 20 °C (68 °F) - Tested according to Annex V of Directive 67/548/EEC.<br>312 hPa (234 mmHg) at 50 °C (122 °F) |
| l) Vapour density                               | No data available  |
| m) Relative density                             | 1.256 g/mL at 25 °C (77 °F) - lit.   |
| n) Water solubility                             | 8.69 g/l at 20 °C (68 °F) - Tested according to Annex V of Directive 67/548/EEC. - slightly soluble<br>10.3 g/l at 56 °C (133 °F)  |

- |    |  |   |
|----|--|---|
| o) | Partition coefficient: n-octanol/water | log Pow: 1.48 at 20 °C (68 °F) - Tested according to Annex V of Directive 67/548/EEC. |
| p) | Auto-ignition temperature              | 413.0 °C (775.4 °F)   |
| q) | Decomposition temperature              | No data available   |
| r) | Viscosity                              | No data available   |
| s) | Explosive properties                   | No data available   |
| t) | Oxidizing properties                   | No data available   |

## 9.2 Other safety information

Surface tension	32.9 mN/m at 15 °C (59 °F) 32.2 mN/m at 20 °C (68 °F) 30.8 mN/m at 30 °C (86 °F)
-----------------	--

---

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

Other decomposition products - No data available  
In the event of fire: see section 5

---

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 670.0 mg/kg

LC50 Inhalation - Rat - 4 h - 3.879 mg/l

LD50 Dermal - Rabbit - 2,800 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation.

No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: irritating - 72 h

(Draize Test)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Moderate eye irritation

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

Ames test  
S. typhimurium  
Result: positive

### **Carcinogenicity**

Carcinogenicity - Rat - Oral

Tumorigenic: Carcinogenic by RTECS criteria. Gastrointestinal: Tumors. Skin and Appendages: Other: Tumors.

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Ethylene dichloride)

NTP: Reasonably anticipated to be a human carcinogen (Ethylene dichloride)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### **Reproductive toxicity**

No data available

Reproductive toxicity - Rat - Inhalation

Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

No data available

### **Specific target organ toxicity - single exposure**

May cause respiratory irritation.

### **Specific target organ toxicity - repeated exposure**

No data available

### **Aspiration hazard**

No data available

### **Additional Information**

RTECS: KI0525000

Acts as a simple asphyxiant by displacing air., anesthetic effects, Difficulty in breathing, Headache, Dizziness, Prolonged or repeated contact with skin may cause:, defatting, Dermatitis, Contact with eyes can cause:, Redness, Blurred vision, Provokes tears., Effects due to ingestion may include:, Gastrointestinal discomfort, Central nervous system depression, Paresthesia., Drowsiness, Convulsions, Conjunctivitis., Pulmonary edema. Effects may be delayed., Irregular breathing., Stomach/intestinal disorders, Nausea, Vomiting, Increased liver enzymes., Weakness, Heavy or prolonged skin exposure may result in the absorption of harmful amounts of material.

Pancreas. -

---

## **12. ECOLOGICAL INFORMATION**

### **12.1 Toxicity**

Toxicity to fish	LC50 - Oncorhynchus mykiss (rainbow trout) - 225.00 mg/l - 96 h
	NOEC - Cyprinodon variegatus (sheepshead minnow) - 130 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 540.00 mg/l - 24 h
	Immobilization EC50 - Daphnia magna (Water flea) - 160 mg/l - 48 h

### **12.2 Persistence and degradability**

Biodegradability	Biotic/Aerobic - Exposure time 21 d
	Result: < 20 % - Not readily biodegradable.
	Remarks: Not applicable

### **12.3 Bioaccumulative potential**

Bioconcentration factor (BCF): 2

No data available

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

No data available

### 13.1 Waste treatment methods

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

UN number: 1184      Class: 3 (6.1)      Packing group: II  
Proper shipping name: Ethylene dichloride  
Reportable Quantity (RQ): 100 lbs

Poison Inhalation Hazard: No

UN number: 1184      Class: 3 (6.1)      Packing group: II      EMS-No: F-E, S-D  
Proper shipping name: ETHYLENE DICHLORIDE

UN number: 1184      Class: 3 (6.1)      Packing group: II  
Proper shipping name: Ethylene dichloride

## 15. REGULATORY INFORMATION

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ethylene dichloride	CAS-No. 107-06-2	Revision Date 2007-07-01
---------------------	---------------------	-----------------------------

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Ethylene dichloride	CAS-No. 107-06-2	Revision Date 2007-07-01
---------------------	---------------------	-----------------------------

Ethylene dichloride	CAS-No. 107-06-2	Revision Date 2007-07-01
---------------------	---------------------	-----------------------------

## CAS-No. Revision Date



Ethylene dichloride

107-06-2

2007-07-01

**California Prop. 65 Components**

WARNING! This product contains a chemical known to the State of California to cause cancer.

Ethylene dichloride

CAS-No.  
107-06-2

Revision Date  
2007-09-28

---

## 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Carc.	Carcinogenicity
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H350	May cause cancer.
Skin Irrit.	Skin irritation

### HMIS Rating

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	3
Physical Hazard	0

### NFPA Rating

Health hazard:	3
Fire Hazard:	3
Reactivity Hazard:	0

### Disclaimer

The information presented is believed to be correct and is the most accurate information available to us at this time. However, Ladd Research makes no warranty, express or implied, and assumes no liability for this information and the product described herein.

SDS Prep Date: 06/28/2023